

J. Pandel et al.  
U.S. Serial No. 09/762,408  
Page 2 of 7

**Amendments to the claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of claims:**

Claims 1-10 (canceled)

Claim 11 (currently amended): A method for motion estimation in a digitized image having pixels, comprising:

grouping pixels in picture blocks,

in which the pixels are grouped to form at least one first picture area and one second picture area;

wherein first motion estimation is carried out in a first search area for at least one first picture block in the first picture area to determine a first motion vector whereby movement of the first picture block is described in comparison to the first picture block in a preceding picture and/or in comparison to the first picture block in a subsequent picture;

wherein second motion estimation is carried out in a second search area for at least one second picture block in the second search area to determine a second motion vector whereby movement of the second picture block is described in comparison to the second picture block in a preceding picture and/or in comparison to the second picture block in a subsequent picture;

wherein the first search area and the second search area are of different sizes; and

wherein the size of the first search area and/or of the second search area is varied as a function of a predetermined picture quality ~~according to which the first picture block and/or the second picture block are/is coded~~ measured by quantization parameter such that if the ~~picture quality~~ quantization parameter of the first picture block is ~~higher~~ smaller than the ~~picture quality~~ quantization parameter of the second picture block, then the size of the first search area is larger than the size of the second search area, whereas if the ~~picture quality~~ quantization parameter of the first picture block is ~~lower~~ larger than the ~~picture quality~~ quantization parameter

J. Pandel et al.  
U.S. Serial No. 09/762,408  
Page 3 of 7

of the second picture block, then the size of the first search area is smaller than the size of the second search area, such that a higher quantization parameter indicates a lower picture quality.

Claim 12 (canceled)

Claim 13 (previously presented): The method of claim 11 used for coding the digitized image.

Claim 14 (original): The method of claim 13 wherein variable length coding of the motion vectors is carried out; and a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.

Claim 15 (original): The method of claim 14 wherein the tables are matched to the maximum length of the motion vectors.

Claim 16 (currently amended): An arrangement for motion estimation in a digitized image having pixels, comprising:

- a processor which is set up such that the following steps can be carried out:

- the pixels are grouped in picture blocks;

- the pixels are grouped to form at least one first picture area and one second picture area;

- first motion estimation is carried out in a first search area for at least one first picture block in the first picture area to determine a first motion vector whereby movement of the first picture block is described in comparison to the first picture block in a preceding picture and/or in comparison to the first picture block in a subsequent picture;

- second motion estimation is carried out in a second search area for at least one second picture block in the second search area to determine a second motion vector whereby movement of the second picture block is described in comparison to the second picture block in a preceding picture and/or in comparison to the second picture block in a subsequent picture;

- in which the first search area and the second search area are of different sizes; and

- in which the size of the first search area and/or of the second search area is varied as a function of a predetermined picture quality ~~according to which the first picture block and/or the~~

J. Pandel et al.  
U.S. Serial No. 09/762,408  
Page 4 of 7

~~second picture block are/is coded~~ measured by quantization parameter such that if the ~~picture quality~~ quantization parameter of the first picture block is ~~higher~~ smaller than the ~~picture quality~~ quantization parameter of the second picture block, then the size of the first search area is larger than the size of the second search area, whereas if the ~~picture quality~~ quantization parameter of the first picture block is ~~lower~~ larger than the ~~picture quality~~ quantization parameter of the second picture block, then the size of the first search area is smaller than the size of the second search area, such that a higher quantization parameter indicates a lower picture quality.

Claim 17 (canceled)

Claim 18 (original): The arrangement of claim 16 used in a picture coding device.

Claim 19 (original): The arrangement of claim 16, used in a picture coding device,  
wherein the processor is set up such that, variable length coding of the motion vectors is carried out; and a number of stored, different tables, in which codes for variable length coding are stored, are used for variable length coding.

Claim 20 (original): The arrangement of claim 19 wherein the processor is set up such that the tables are matched to the maximum length of the motion vectors.